

# **WARRANTY POLICY FOR CENTRAL MOTIVE POWER, INC. SHOP REBUILT PRODUCTS**

---

Central Motive Power, Inc. warrants shop rebuilt products and complete overhauls to be free from defects in materials and workmanship under normal use and service. This warranty shall be limited to repairing or replacing at our option the part(s) claimed to be defective within twelve months from the date of installation or service date of the product.

If circumstances prohibit the repair or replacement of the product, Central Motive Power, Inc. upon return of the product, will credit the customer part of the purchase price that was paid to Central Motive Power, Inc. Inspection must be performed at the Central Motive Power location from which the product was purchased. All related freight charges will be paid by the customer.

No other warranty, whether expressed or implied (including any warranty of merchantability or fitness for a particular purpose) shall exist in connection with the sale or use of such products. Central Motive Power, Inc. shall under no circumstances be liable for any incidental or consequential damages or expenses.

## **WARRANTY PROCEDURE**

Products will not be accepted for warranty unless the following information is provided.

1. Company name and address
2. Users name and address
2. Installation date and date of failure
3. Customer complaint and mileage (hours)
4. Copy of invoice or invoice number

All products returned for warranty consideration must be received at Central Motive Power, Inc. within thirty (30) days from the date of failure and in accordance with the above procedures.

## **BIO-DIESEL**

Central Motive Power, Inc. does not warrant the use of any mixture of bio-diesel higher than B-20 (20% mixture of bio-diesel and diesel fuel) meeting ASTM-D-6751 standards. Therefore homemade fuels or recycled vegetable oils will not be warranted. This is in order to reduce the risk of premature failure of the fuel injection system. Any mixture higher than B-20 can cause corrosion, contamination and reduced life of the fuel injection equipment.